

Plant Identification : HAULOTTE HA16PX, HA18PX					
Potential Hazard	Risk		Control Methods currently in Place	Additional Control Method Required	Confirmation and Acceptance
	Yes	No			
<b>Entanglement –</b> Can anything become entangled in moving parts?	Y		Engine compartment cover fitted Fan cover fitted Hydraulic motors mounted in hubs Guard installed over controls Precaution in operator manual	Address during company induction – operators to be aware of clothes and materials hanging near moving parts	
<b>Crushing/Striking –</b> Can anyone be crushed or struck by moving objects due to:					
Material falling off or onto the plant?	Y		Kick guards fitted as part of platform Precautions provided in operator manual	Tool and equipment may be attached by lanyard if required per the site assessment	
Uncontrolled or unexpected movement of the plant or its load?	Y		Deadman foot pedal requires dual input for movement Movement alarm Amber flashing beacon Emergency stop switches fitted to platform and ground controls	None	
Lack of capacity for the plant to be slowed, stopped or immobilised?	<input type="checkbox"/>	N	Braking system designed and tested to comply with AS1418.10 Brakes auto-engage E-stops immobilise plant	None	

	The plant tipping or rolling over?	Y		<p>Stability tested in accordance with AS1418.10</p> <p>Max slope limits provided on data plate</p> <p>Warnings provided in manual</p> <p>Warnings provided to not carry material in platform that will increase wind surface area in wind-affected environments</p> <p>Load Management System fitted which prevents movement when overloaded</p> <p>Tilt sensor fitted which alarms and restricts movement when on excessive slope</p>	<p>Operate machine in accordance with load, slope and wind limits</p> <p>Do not overload platform or carry material which increases wind surface area</p>	
	Parts of the plant collapsing?	Y		<p>Dual Load holding valves fitted to lift cylinders</p> <p>Design conforms to AS1418.10</p> <p>Inspection schedule provided in operator manual</p>	<p>Inspection, cleaning, maintenance and repair to be conducted when machine is stationary</p>	
	Coming into contact with moving parts of the plant during testing, inspection, operation, maintenance, cleaning or repair?	Y		<p>Engine fully enclosed</p> <p>Ground controls fitted with hold-on switches</p> <p>Control stations located at suitable distance from moving parts</p> <p>Drive movement not provided at ground controls</p> <p>Precaution in operator manual</p>	<p>Site management to ensure body harness to be correctly worn and connected at all times when in basket</p> <p>Slew movement provided at ground controls for emergency operation. Trained and competent ground personnel required to use ground controls</p>	

	Being thrown off or under the plant?	Y		<p>Tested to AS1418.10 including depression and braking tests.</p> <p>Guard rails fitted to platform</p> <p>Fall arrest harness anchor points fitted to platform</p> <p>Drive limited to creep speed when elevated</p> <p>Warning provided in operator manual</p>	All platform occupants to wear full body harness	
	Being trapped between the plant & materials or fixed structures?	Y		<p>Deadman pedal required to protect against inadvertent movement</p> <p>Guard over controls to protect against continued movement if trapped against controls</p> <p>Emergency stop fitted if movement causes trapping</p> <p>Warning decals attached</p>	Collision with overhead objects and operator entrapment can occur depending on site structures. Address during company induction	
	Other factors not mentioned?	<input type="checkbox"/>	N			
	<b>Cutting, Stabbing or Puncturing –</b> Can anyone be cut, stabbed or punctured due to:					
	Coming in contact with sharp or flying objects?	<input type="checkbox"/>	N	<p>No visible sharp objects</p> <p>Instrument panel, controls and handrails are rounded</p> <p>Engine fan enclosed</p>		

	Uncontrolled or unexpected movement of the plant?	Y		Deadman pedal fitted and dual input by operator is required Emergency stop fitted. Movement alarm and flashing beacon fitted Timeout interlocks against controls held on without movement Interlocks prevent movement at startup. Controls must be in neutral position	Training and Supervision to be provided by site mgt	
	Parts of the plant or work pieces disintegrating?	<input type="checkbox"/>	N	Inspection schedule provided in manual to identify disintegrating components	Conduct pre-operational inspection and periodic inspections as scheduled	
	Work pieces being ejected?	<input type="checkbox"/>	N	Guards, covers, keeper pins and lock pins fitted		
	Coming in contact with moving parts of the plant during testing, inspection, operation maintenance, cleaning or repair?	<input type="checkbox"/>	N	Guarding fitted Warning Decals fitted Serviceable components (hydraulic, engine) all in accessible locations		
	Other factors not mentioned?	<input type="checkbox"/>	N			
	<b>Shearing –</b> Can anyone’s body parts be sheared between two parts of the plant, or between a part of the plant and a work piece structure?	Y		Operator position not adjacent to moving parts Handrail fitted on platform located inside guardrail Warning Decals fitted Precaution in operator manual	JSA, Training and Supervision to be provided by site mgt Bystanders to keep clear when machine is operational	
	<b>Slipping or Tripping –</b> Can anyone using or near the plant, slip or trip due to:					
	Uneven or slippery work surfaces?	Y		Non slip surface provided on platform		

	Poor housekeeping, e.g. spillage not cleaned up?	Y		Platform provided in clean condition	Supervision by site mgt to ensure machine remains in clean, safe condition	
	Obstacles being placed in the vicinity of the plant or platform?	Y		Storage location for operator manuals Deadman Pedal enclosed	Supervision to be provided by site mgt to ensure platform and work area remains free from obstacles	
	Other factors not mentioned?	<input type="checkbox"/>	N			
	<b>Falling –</b> Can anyone fall from a height due to:					
	Lack of proper working platform?	<input type="checkbox"/>	N	Work platform fitted. Complies to AS1418.10 Warning provided not to climb on rails	Operator to remain within and standing on platform at all times	
	Lack of proper stairs or ladders?	<input type="checkbox"/>	N	Platform lowers to ground for entry and exit purposes		
	Lack of guard rails or other suitable edge protection?	<input type="checkbox"/>	N	Guard rails fitted. Complies to AS1418.10		
	Unprotected holes, penetrations or gaps?	<input type="checkbox"/>	N	Guardrails fitted as per requirements of AS1418.10 Spacing between rails conforms to AS1418.10		
	Poor floor or walking surfaces, such as the lack of a slip-resistant surface?	<input type="checkbox"/>	N	Platform has slip resistant surface		

	Steep walking surfaces?	<input type="checkbox"/>	N	Basket levelling allows operator to adjust platform to level surface Tilt sensor prevents machine exceeding acceptable slope for operator movement		
	Collapse of the supporting structure?	<input type="checkbox"/>	N	Inspection requirements detailed in operator manual and AS2550.10 to inspect structure		
	Other factors not mentioned? Ejection from plant due to sudden movement of chassis (ground collapse, driven over drop-off etc)	Y		Harness anchor points provided for all operators. Anchor points comply to AS1891 & AS1418.10	Site management to ensure correct body harness is worn by all platform occupants	
	<b>Suffocation –</b> Can anyone be suffocated due to lack of oxygen or atmospheric contamination?	Y		Open air platform		
	<b>Electrical –</b> Can anyone be injured by electrical shock or burnt due to:					
	• The plant contacting live electric conductors?	Y		Electrical Decal specifying minimum clearance is fitted to work platform	JSA, Training and Supervision to be provided by site mgt to ensure safe working clearance from electrical fields	
	• The plant working in close proximity to electrical conductors?	Y		Electrical Decal specifying minimum clearance is fitted by control panel Precaution in operator manual	JSA, Training and Supervision to be provided by site mgt to ensure safe working clearance from electrical fields	

	• Overload of electrical circuits?	<input type="checkbox"/>	N	Regular service intervals indicated in manual including inspection and testing of electrical circuits		
	• Damaged or poorly maintained electrical leads & cables?	<input type="checkbox"/>	N	No signs of damage		
	• Damaged electrical switches?	<input type="checkbox"/>	N	No signs of damage		
	• Water near electrical equipment?	Y		Electrical compartments comply with AS1418.10 requiring level IP54 in accordance with AS60529		
	• Lack of isolation procedures?	<input type="checkbox"/>	N			
	• Other factors not mentioned?	<input type="checkbox"/>	N			
	<b>High/Low Temperature or Fire –</b>					
	Can anyone come into contact with moving parts or other objects at high temperatures?	Y		Engine & Exhaust cover provided		
	Can anyone be injured by fire?	Y		Emergency lowering devices provided in case of fire	Fire extinguishers to be provided as deemed necessary following job assessment JSA, Training and Supervision to be provided by site mgt	
	Can anyone suffer ill-health due to exposure to high or low temperatures?	<input type="checkbox"/>	N			

	<p><b>High Pressure Fluid –</b> Can anyone come into contact with fluids under high pressure, due to plant failure or misuse of the plant?</p>	Y		<p>Pipe clamps fitted Relief valve fitted Precautions for repair on high pressure fluids is provided in manual Hydraulic system complies to AS1418.10 burst pressure requirements</p>		
	<p><b>Explosion –</b> Can anyone be injured by explosion of gases, vapours, liquids, dusts, etc., triggered by the operation of the plant or by material handled by the plant?</p>	Y		Warning decal on battery	Charge batteries in a well ventilated area.	
	<p><b>Other Hazards –</b> Can anyone be injured or suffer ill-health from exposure to</p>					
	<ul style="list-style-type: none"> <li>• Chemicals?</li> </ul>	<input type="checkbox"/>	N			
	<ul style="list-style-type: none"> <li>• Toxic gases or vapours?</li> </ul>	<input type="checkbox"/>	N			
	<ul style="list-style-type: none"> <li>• Fumes?</li> </ul>	Y		Warning provided in manual regarding charging of battery	Charge batteries in a well ventilated area.	
	<ul style="list-style-type: none"> <li>• Dust?</li> </ul>	<input type="checkbox"/>	N			
	<ul style="list-style-type: none"> <li>• Noise?</li> </ul>		N	Unit meets EU noise standards		
	<ul style="list-style-type: none"> <li>• Vibration?</li> </ul>	<input type="checkbox"/>	N	Unit meets EU vibration standards		
	<ul style="list-style-type: none"> <li>• Radiation?</li> </ul>	<input type="checkbox"/>	N			
	<ul style="list-style-type: none"> <li>• Other factors not mentioned?</li> </ul>	<input type="checkbox"/>	N			
	<p><b>Ergonomics –</b> Can anyone be injured due to:</p>					
	<p>Poorly designed seating?</p>		N	No seat required or provided		



	Workstation Layout?		N	Clear information is provided on control panel and in operator manual Warning lights provide important and instantaneous information only	Replace control panel decal if illegible or damaged.	
	Inadequate provision of devices/tools/controls?		N	Joystick and switches provided for every movement Controls marked and actuate in direction of movement		
	Repetitive body movement?	<input type="checkbox"/>	N	Controls Box is easy-reach Controls are hold-on and do not require repeat actions		
	Constrained body posture or the need for excessive effort?	<input type="checkbox"/>	N	Electronic controls require minimal effort Upper and lower Controls located at recommended height for percentile male Foot pedal located adjacent to the plane of the controls, in position where operator can stand freely at the controls		
	Design deficiency causing mental or psychological stress?	<input type="checkbox"/>	N			
	Inadequate or poorly placed lighting?	<input type="checkbox"/>	N			
	Lack of consideration given to human error or human behaviour?	<input type="checkbox"/>	N			

	Excessive number of simultaneous tasks required ?			<p>Single movement of controls provide simple actions.</p> <p>Three joysticks provided for different movements.</p> <p>Drive joystick includes steer buttons for one-hand operation to drive/steer</p>		
	Mismatch of the plant with human traits and natural limitations?	<input type="checkbox"/>	N			
	<b>Other Plant Specific Hazards not covered above:</b>					
	Injury, instability or damage due to overload above platform limits	Y		<p>Plant limits detailed on sign in platform</p> <p>Load management system restricts overload as per AS1418.10 requirements</p> <p>LMS calibrated at Pre-Delivery by Haulotte</p>		
	Instability due to operation at greater than allowable slope	Y		<p>Tilt system fitted, prevents drive and boom functions if slope is exceeded.</p> <p>Tilt switch tested at manufacturer's Pre-Delivery</p>	<p>Site management to ensure operators are trained in EWP operation and machines are operated within limits</p>	

	Injury due to inadvertent movement	Y		Controls and direction of controls clearly marked. Instructions of use provided in operator manual  Dual input (commonly referred to as 'deadman' switch) required for all functions at platform and base controls Interlocks prevent movement at startup/engine ignition		
	Machine malfunction due to insufficient inspection and maintenance	Y		Inspection schedule and maintenance requirements provided in operator manual and maintenance manual		
	Incorrect function or stability due to excessive deflection as a result of wear	Y		Wear limits and inspection schedule provided in workshop manual		
	Access to operator if assistance required	Y		Emergency lowering system provided from ground controls, including an auxiliary power source if main power is disconnected		
	Injury, instability or damage during Emergency Operations	Y		Secondary electric power provided for emergency retrieval. Operation listed in manual. Deadman input required	Site management to ensure a ground crew member is trained in emergency retrieval on machine	
	Inadvertent activation / interference when plant not in use	Y		Removable key provided		

<b>Risk Assessment carried-out by:</b>	
Name:	ANDREW DELAHUNT
Role:	HAULOTTE PRODUCT MANAGER
Date:	23 October 2013
<b>Project/Plant Managers Review:</b>	
Name:	
Role:	
Signed:	
Date:	